Overview

Introduction

HP docking solutions include a range of convenient expansion solutions that easily connect to your HP Business Notebook and enable connectivity to a range of peripherals. Create an ideal desktop computing environment using comfort-focused docking stations and stands that provide port replication, cable management, and future expandability.

These docking stations feature the proprietary HP Docking Station Cable Lock, in addition to an industry standard notebook lock slot. The HP Docking Station Cable Lock (AU656AA) gives you three locking options: lock the docking station only (which also prevents access to the advanced docking station's drive bay); lock both the docking station and the notebook; or physically secure the docking station to a stationary object using the security cable tab.

NOTE: Check the compatibility sections below for a list of products supported by these docking stations. Due to technology changes, some notebook models may be supported by different docking station solutions. Please also refer to your notebook's QuickSpecs for individual compatible product information.

Models

HP 2012 90W Docking Station	A7E32AA
HP 2012 230W Docking Station	A7E34AA
HP 2012 120W Advanced Docking Station	A7E36AA
HP 2012 230W Advanced Docking Station	A7E38AA
HP Docking Station Cable Lock	AU656AA

Compatibility

HP 2012 Docking Stations and HP Advanced Docking Stations are compatible with HP ProBook b-Series Notebook PCs, HP EliteBook 8xxx p Series Notebook PCs, and HP EliteBook 8xxx w Series Mobile Workstations.

The HP 2012 230W Docking Station and Advanced Docking Station are compatible with the HP EliteBook 8xxx p Series Notebook PCs and w Series Mobile Workstations. The HP Docking Station Cable Lock (AU656AA#XXX) is compatible with the docking stations.


NOTE: Some notebook models do not support these docking features. Docking capability for these models is provided by the HP 3005pr USB 3.0 Port Replicator (H1L08AA) and HP 2005pr USB 2.0 Port Replicator (H1L07AA). NOTE: Not all models are available in all regions.


Service and support

One-year limited warranty. Additional support is available 24 hours a day, seven days a week by phone as well as online support forms. **NOTE**: Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.



HP 2012 90W and 230W Docking Stations






- 1. Power button
- 2. Power light
- 3. Visual alignment indicator
- 4. Docking light
- 5. Notebook eject button

- 6. Battery size lever
- 7. Guide pads
- 8. Docking posts
- 9. Notebook eject mechanisms
- 10. Docking connector

HP 2012 90W Docking Station Left-Side Components HP 2012 230W Docking Station Left-Side Components




1. Always-On USB 3.0 ports

HP 2012 90W Docking Station Right-Side Components HP 2012 230W Docking Station Right-Side Components




HP 2012 90W and 230W Docking Stations



1. Security cable tab

2. Integrated cable lock slot (to connect HP Docking Station Cable Lock or industry standard notebook lock)

HP 2012 90W Docking Station Rear Components HP 2012 230W Docking Station Rear Components



- 1. HP Docking Station Cable Lock slot
- 2. Monitor stand port
- 3. Mouse connector
- 4. Parallel port
- 5. Power light
- 6. Digital video (DVI-D) port
- 7. Powered USB 3.0 port
- 8. Security cable slot
- 9. RJ-45 (network) jack

- 10. Always-On USB 3.0 port
- 11. DisplayPort connector
- 12. Power connector
- 13. External monitor (VGA) port
- 14. Serial port
- 15. Keyboard connector
- 16. Line-In jack
- 17. Audio-out (headphone) jack
- 18. Security cable tab



HP 2012 90W and 230W Docking Stations

Key Benefits

Desktop convenience with full port replication capability in a space-saving design.

- Conveniently charges your notebook while it is in the docking station.
- Easy docking system provides port replication and cable management in one product.
- Four USB 3.0 ports allow you to connect to legacy and evolving peripherals and be more productive.
- Optional integrated HP Docking Station Cable Lock allows you to secure your docking station and notebook with one lock. Also supports an industry standard notebook lock.

AC adapter included

The HP 2012 90W Docking Station gives you an energy-efficient 90W Smart AC adapter for your Notebook PC. The HP 2012 230W Docking Station gives you an energy-efficient 230W Smart AC adapter for your Notebook PC or Mobile Workstation. These Smart Adapters help guard against power fluctuations with integrated surge protection.

Standard Features

2 docking posts Align and secure the computer for proper connection to the docking station

Connects the computer to the docking station Docking connector

Visual alignment indicator Helps you align the computer with the docking station for fast and easy docking

Power button and power Power indicators

light

light

Eject button and docking Ejects computer from docking station. Docking light is turned on when the computer is properly

connected.

USB ports 4 USB 3.0 ports (3 Always-On, 1 powered)

Allows you to charge USB powered devices while the computer is in standby mode, powered off or not in Always-On USB port

the docking station.

Powered USB port Allows you to connect to select powered USB and regular USB devices.

Integrated cable lock slot Supports the HP Docking Station Cable Lock with a drastically simplified locking mechanism. Gives you

two security options: lock the docking station only (which also prevents access to the Advanced Docking

Station drive bay); or lock both the docking station and your notebook for additional security.

Also supports an industry standard notebook lock.

Audio and Network

connectors

Audio and Ethernet ports, Line-in jack, headphone jack; does not support mic out

Legacy connectors Mouse, keyboard, serial and parallel connectors

Other connectors 1 Monitor Stand, 1 DisplayPort 1.2, 1 VGA, and 1 DVI-D connector. AC adapter connector with light

HP 90W Smart AC Adapter or HP 230W Smart AC Adapter **Smart Adapter**

NOTE: Your computer, docking station, and monitor must all support USB 3.0 and DisplayPort 1.2 to benefit from the advanced speeds or features that these technologies provide. If one of the devices does not support these technologies, you will still have USB 2.0 and DisplayPort 1.1 functionality.



HP 2012 90W and 230W Docking Stations

Specifications

Dimensions 2.6 x 10.24 x 6.44 in (6.60 x 26.00 x 16.36 cm)

 $(H \times W \times D)$

Weight 2.36 lbs (1.07 kg)

Power Supply (input) Rated Voltage 100 to 240 V

Rated Current 2.5A rms Line Frequency 50 - 60 Hz

Temperature Operating 50° to 95° F (10° to 35° C)

Non-operating 14° to 140° F (-10° to 60° C)

Relative Humidity Operating/Non- 10% to 90% relative humidity

condensing

Non-operating 5% to 90% relative humidity, 101.6° F (38.7° C) maximum wet bulb

temperature

Maximum Altitude Operating 0 to 10,000 ft (0 to 3,048 m)

Non-operating 0 to 30,000 ft (0 to 9,144 m)

Shock Operating 10 G, 11 ms, half-sine

Non-operating 60 G, 11 ms, half-sine

Vibration Operating 0.5 G zero-to-peak, 10 to 500 Hz, 0.25 oct/min sweep rate

Non-operating 1 G, zero-to-peak, 10 to 500 Hz, 0.5 oct/min sweep rate


Option Kit Contents HP 2012 90W Docking Station, AC power adapter, documentation

HP 2012 230W Docking Station, AC power adapter, documentation



HP 2012 120W and 230W Advanced Docking Stations


HP 2012 120W Advanced Docking Station HP 2012 230W Advanced Docking Station



- 1. Power button
- 2. Power light
- 3. Visual alignment indicator
- 4. Docking light
- 5. Notebook eject button

- 6. Battery size lever
- 7. Guide pads
- 8. Docking posts
- 9. Notebook eject mechanisms
- 10. Docking connector

HP 2012 120W Advanced Docking Station Left-Side Components HP 2012 230W Advanced Docking Station Left-Side Components




- 1. SATA upgrade bay
- 2. Audio-out (headphone) jack
- 3. Line-in jack

- 4. eSATA adapter
- 5. SATA upgrade bay release lever

HP 2012 120W Advanced Docking Station Right-Side Components HP 2012 230W Advanced Docking Station Right-Side Components




HP 2012 120W and 230W Advanced Docking Stations



- 1. Security cable slot
- 2. (4) USB 3.0 ports

3. Integrated cable lock slot (to connect HP Docking Station Cable Lock or industry standard notebook lock)

HP 2012 120W Advanced Docking Station Rear Components HP 2012 230W Advanced Docking Station Rear Components



- 1. HP Docking Station Cable Lock slot
- 2. Security cable tab
- 3. Mouse connector
- 4. Parallel port
- 5. Monitor stand port
- 6. Digital video (DVI-D) ports
- 7. Power light
- 8. Security cable slot

- 9. RJ-45 (network) jack
- 10. Power connector
- 11. DisplayPort connector
- 12. Powered USB 2.0 port
- 13. Always-On USB 2.0 port
- 14. External monitor (VGA) port
- 15. Serial port
- 16. Keyboard connector



HP 2012 120W and 230W Advanced Docking Stations

Key Benefits

Robust desktop replacement solution for your mobile office with advanced features for future expansion.

- Conveniently charges your notebook while it is in the docking station.
- Easy docking system provides port replication and cable management, plus expandability through an integrated SATA upgrade bay- all in one product.
- Four USB 3.0 ports and two USB 2.0 ports allow you to connect to legacy and evolving peripherals and be more productive.
- Optional integrated HP Docking Station Cable Lock allows you to secure your docking station, notebook and integrated SATA drive with one lock. Also supports an industry standard notebook lock.

AC adapter included

The HP 2012 120W Advanced Docking Station gives you an energy-efficient 120W Smart AC adapter for your Notebook PC. The HP 2012 230W Advanced Docking Station gives you an energy-efficient 230W Smart AC adapter for your Notebook PC or Mobile Workstation. These Smart adapters guard against power fluctuations with integrated surge protection.

Standard Features

2 docking posts Align and secure the computer for proper connection to the docking station

Connects the computer to the docking station Docking connector

Visual alignment indicator Helps you align the computer with the docking station for fast and easy docking

Power button and power Power indicators

light

Eject button and docking Ejects computer from docking station. Dock light is turned on when the computer is properly connected.

light

USB ports 4 USB 3.0 ports (Always On), 2 USB 2.0 ports (1 Always-On, 1 powered)

Allows you to charge USB powered devices while the computer is in standby mode, powered off or not in Always-On USB port

the docking station.

Powered USB port Allows you to connect to select powered USB and regular USB devices

Integrated cable lock slot Supports the HP Docking Station Cable Lock, which gives you two security options: lock the docking

station only (which also prevents access to the Advanced Docking Station drive bay); or lock both the

docking station and your notebook for additional security.

Also supports an industry standard notebook lock.

Enable ultra-fast (up to 3Gb/s) external data connectivity with any customer supplied eSATA device such eSATA port

as an eSATA Hard Drive.

Audio and Network

connectors

Audio and Ethernet ports, line-in jack, headphone jack; does not support mic out

Legacy connectors Mouse, keyboard, serial and parallel connectors

Other connectors 1 Monitor Stand, 2 DisplayPort 1.2, 1 VGA, and 2 DVI-D connectors. AC adapter connector with light

> NOTE: A maximum of three displays can be supported through the HP 2012 120W Advanced Docking Station (A7E36AA) and HP 2012 230W Advanced Docking Station (A7E38AA). The DisplayPort and DVI connectors are shared, so you may choose one DisplayPort or DVI plus a second DisplayPort, or DVI plus

the VGA connector. Therefore, the choices are DP+DP+VGA, DP+DVI+VGA, DVI+DP+VGA or

DVI+DVI+VGA.

Upgrade bay Supports all HP upgrade bay hard drives and optical drives for additional local storage capabilities.

HP 120W or HP 230W Smart AC Adapter Smart Adapter

NOTE: Your computer, docking station, and monitor must all support USB 3.0 and DisplayPort 1.2 to benefit from the advanced speeds or features that these technologies provide. If one of the devices does not support these technologies, you will still have USB 2.0 and DisplayPort 1.1 functionality.



HP 2012 120W and 230W Advanced Docking Stations

Specifications

Dimensions 2.60 x 10.65 x 10.24 in (6.6 x 27.05 x 26.0 cm)

 $(H \times W \times D)$

Weight 3.61 lbs (1.637 kg)

Power Supply (input) Rated Voltage 100 to 240 V

Rated Current 2.5A rms Line Frequency 50 - 60 Hz

Temperature Operating 50° to 95° F (10° to 35° C)

Non-operating 14° to 140° F (- 10° to 60° C)

Relative Humidity Non-operating 5% to 90% relative humidity, 101.6° F (38.7° C) maximum wet bulb

temperature

Maximum Altitude Operating 0 to 10,000 ft (0 to 3,048 m)

Non-operating 0 to 30,000 ft (0 to 9,144 m)

Shock Operating 10 G, 11 ms, half-sine

Non-operating 60 G, 11 ms, half-sine

Vibration Operating 0.5 G zero-to-peak, 10 to 500 Hz, 0.25 oct/min sweep rate

Non-operating 1 G, zero-to-peak, 10 to 500 Hz, 0.5 oct/min sweep rate

Option Kit Contents HP 2012 120W Advanced Docking Station, AC power adapter, documentation

HP 2012 230W Advanced Docking Station, AC power adapter, documentation

HP 2012 Docking Stations and HP 2012 Advanced Docking Stations for HP Business Notebooks

QuickSpecs

Related Options

HP Docking Station Cable Lock	AU656AA#XXX
HP Upgrade Bay 500 GB 7200 rpm Hard Drive (works with pre-2011 HP Business Notebooks)	AU097AA
HP Upgrade Bay SATA DVD+/-RW SuperMulti DL Drive	AK869AA
HP 500-GB 7200rpm Primary SATA Hard Drive	AU098AA
HP USB Keyboard/Mouse Bundle*	RC465AA
HP Adjustable Display Stand	AW663AA
HP LCD Monitor Stand	QM196AA

^{*}Availability may vary by region. Check your notebook platform QuickSpecs for specific compatibility.

© Copyright 2012 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

