



American Power Conversion

May 31, 2006



RE: American Power Conversion Corporation
RoHS Certification of Compliance

Dear APC Customer:

APC is committed to providing customers with products that are fully compliant with all regulations, international protocols, and customer standards to which they are subject. The European Union (EU) enacted the RoHS and WEEE directives that are intended to protect the environment and our natural resources. The RoHS directive restricts six chemical substances in certain defined electronic products sold into EU countries and the WEEE directive requires that these products be collected at the end of their lifespan. Please feel free view details of the APC WEEE and RoHS implementation program at the APC web site at: <http://www.apc.com/corporate/environmental.cfm>.

Attachment 1 provides a list of products that APC considers to be "IT and Telecommunications Equipment" as defined in Category 3 of Annex 1a to the WEEE Directive. APC is declaring these products as compliant with the RoHS substances restrictions after application of the 7b exemption from the Annex of the RoHS directive, which allows continued use of lead(Pb) in solder in products classified as Server, Telecommunications and Network Infrastructure. If you have questions regarding the compliance status of APC products not listed, please check the APC web site for that product and its accompanying RoHS documentation.

As a customer who uses our products as components within your own designs or a purchaser of APC products, you have a vested interest in our compliance with the RoHS and WEEE directives. All of us at APC greatly appreciate your continued interest in our company's products.

Sincerely Yours,

A handwritten signature in black ink, appearing to read 'Raymond P. Lizotte, Jr.', is written in a cursive style.

Raymond P. Lizotte, Jr.
Product Environmental Compliance Engineer
Environmental Programs Office
APC Design Center

APC's WEEE-ROHS Program is on the Web: <http://www.apc.com/corporate/environmental.cfm>

APC bases its RoHS compliance status knowledge on information provided by third parties and has taken and continues to take reasonable steps to provide representative and accurate information, but may not have conducted destructive testing or chemical analysis on incoming components and materials. Compliance with the RoHS Directive means that the product(s) referred above complies with the requirements of EU Directive 2002/95/EC (RoHS), maximum concentration values (MCVs) per Commission Decision 2005/618/EC and subsequent additions to the list of exempted material use applications.



Attachment 1: Products covered by this declaration.

| APC SKU Number | Product Description |
|----------------|---|
| 19000-YYY-E | APC USB CABLE A TO B, 2 METER, FULLY RATED, 28 AWG SIGNAL PAIR. 24 AWG (Where YYY refers to length in meters) |
| 1TWF0500H54B | APC DC RECTIFIER, 500 WATT, 54VDC, WIDE INPUT, FULL SIGNALS, BLACK |
| 21055-32 | APC PATCH PANEL, CAT 5 ENHANCED, 32 PORT, RJ45 TO 110, 568 A & B COLOR |
| 825-0006 | FEET 0.5 IN DIA CYL GREY ROHS |
| 940-0006 | UPS Communication Cable for IBM AS/400 |
| 940-0024 | UPS Communication Cable Smart Signaling |
| 940-0024C | CABLE UPS-LINK W/ RTS-CTS |
| AP5015 | APC 15" Rackmount Keyboard Monitor Mouse |
| AP5017 | APC 17" Rackmount Keyboard Monitor Mouse |
| AP5201 | APC 8 Port Multi-Platform Analog KVM |
| AP5250 | APC KVM PS/2 Cable - 6 ft (1.8 m) |
| AP6040 | Bundled Cord Kit, (5)-10A 1.5m, IEC-C13/C14 |
| AP6041 | Bundled Cord Kit, (5)-10A 2.0m, IEC-C13/C14 |
| AP6042 | Bundled Cord Kit, (5)-10A 2.5m, IEC-C13/C14 |
| AP6043 | Bundled Cord Kit, (5)-15A 1.5m, IEC-C13/C14 |
| AP6044 | Bundled Cord Kit, (5)-15A 2.0m, IEC-C13/C14 |
| AP6045 | Bundled Cord Kit, (5)-15A 2.5m, IEC-C13/C14 |
| AP6048 | Bundled Cord Kit, (5)-15A 2.5m, Japan IEC-C13/C14 |
| AP6049 | Bundled Cord Kit, (1)-15A 1ft, NEMA 5-15R/IEC-C14 |
| AP6050 | Bundled Cord Kit, (1)-15A, 1ft, Japan NEMA 5-15R/IEC C14 |
| AP7530J | Rack PDU, Basic, Zero U, 20A, 100V (24)5-15 |
| AP7551 | Rack PDU,Basic,ZeroU,16A,230V,(20)C13 & (4)C19; IEC309 |
| AP7552 | Rack PDU,Basic,ZeroU,16A,230V,(20)C13 & (4)C19; IEC C20 |
| AP7553 | Rack PDU, Basic, Zero U, 32A, 230V, (20)C13 & (4)C19 |
| AP7562J | Rack PDU, Basic, Zero U, 7.2kW, 100V, (42)5-15 |
| AP7581 | Rack PDU Extender, Basic, 2U, 30A, 200/208V, (4)L6-20 |
| AP7585 | Rack PDU Extender, Basic, 2U, 32A, 230V, (4) IEC C19 |
| AP7611 | Rack PDU,Metered, 2U, 16A, 230V, (11)C13 & (2)C19 |
| AP7722 | Rack ATS, 16A, 230V, (2)IEC 309 in, (1)IEC 309 out |
| AP7750 | Rack ATS, 15A, 100/120V, (2)5-15 in, (8)5-15 out |
| AP7830J | Rack PDU, Metered, Zero U, 20A, 100V, (24)5-15 |
| AP7831 | Rack PDU, Metered, Zero U, 15A, 100/120V, (16) 5-15 |
| AP7850 | Rack PDU, Metered, Zero U, 10A, 230V, (16) C13 |
| AP7851 | RackPDU, Metered, ZeroU, 16A, 230V, (20)C13 &(4)C19; IEC309 |
| AP7852 | RackPDU, Metered, ZeroU, 16A, 230V, (20)C13 & (4)C19; IEC C20 |
| AP7853 | Rack PDU, Metered, Zero U, 32A, 230V, (20)C13 & (4)C19 |



Attachment 1 (Continued): Products covered by this declaration.

| APC SKU Number | Product Description |
|----------------|--|
| AP7854 | RackPDU,Metered,ZeroU,16A,230V,(20)C13 &(4)C19; IEC309, 10 Ft Cord |
| AP7862 | Rack PDU, Metered, Zero U, 5.7kW, 120V, (42)5-20 |
| AP7862J | Rack PDU, Metered, Zero U, 7.2kW, 100V, (42)5-15 |
| AP7863 | RackPDU,Metered,ZeroU,5.7kW,120&208V,(21)5-20&(6)L6-20 |
| AP7900 | Rack PDU, Switched, 1U, 15A, 100/120V, (8)5-15 |
| AP7901 | Rack PDU, Switched, 1U, 20A, 120V, (8)5-20 |
| AP7902J | Rack PDU, Switched, 2U, 30A, 100V, (16)5-15 |
| AP7920 | Rack PDU, Switched, 1U, 12A/208V, 10A/230V, (8)C13 |
| AP7921 | Rack PDU, Switched, 1U, 16A, 208/230V, (8)C13 |
| AP7922 | Rack PDU, Switched, 2U, 32A, 230V, (16)C13 |
| AP7930J | Rack PDU, Switched, Zero U, 20A, 100V, (24) 5-15 |
| AP7931 | Rack PDU, Switched, Zero U, 15A, 100/120V, (16) 5-15 |
| AP7940 | Rack PDU, Switched, Zero U, 20A, 200/208V, (21)C13 & (3)C19 |
| AP7950 | Rack PDU, Switched, Zero U, 10A, 230V, (16) C13 |
| AP7951 | Rack PDU,Switched,ZeroU,16A,230V,(21)C13&(3)C19;IEC309 |
| AP7952 | Rack PDU,Switched,ZeroU,16A,230V,(21)C13&(3)C19;IEC C20 |
| AP7953 | Rack PDU, Switched, Zero U, 32A, 230V, (21)C13 & (3)C19 |
| AP7954 | Rack PDU,Switched,ZeroU,16A,230V,(21)C13&(3)C19, IEC309, 10' Cord |
| AP7960 | Rack PDU, Switched, Zero U, 5.7kW, 120V, (24)5-20 |
| AP7961 | Rack PDU,Switched,Zero U,5.7kW,208V,(21)C13 & (3)C19 |
| AP7991 | Rack PDU,Switched,ZeroU,5.7kW,208V,(21)C13&(3)C19; 10' Cord |
| AP9207 | 8-Port Share-UPS Interface Expander |
| AP92200 | InfraStruXure Manager Appliance |
| AP9554 | Rack PDU, Basic, Zero U, 16A, 208&230V, (14)C13 |
| AP9558 | Rack PDU, Basic, 1U, 16A, 208V, (12)C13 w/jmpr cords |
| AP9559 | Rack PDU,Basic, 1U, 16A,208&230V, (10)C13 & (2)C19 |
| AP9562 | Rack PDU, Basic, 1U, 15A, 120V, (10)5-15 |
| AP9565 | Rack PDU, Basic, 1U, 16A, 208/230V, (12)C13 |
| AP9568 | Rack PDU, Basic, Zero U, 10A,230V, (15)C13 |
| AP9569 | Cord Retention Bracket for Basic Rack PDUs |
| AP9571 | Rack PDU, Basic, 1U, 30A, 208V, (12) C13 |
| AP9572 | Rack PDU, Basic, Zero U, 16A, 208/230V, (15) C13 |
| AP9600 | SmartSlot Expansion Chassis |
| AP9607 | 2-Port Serial Interface Expander SmartSlot Card |
| AP9607CB | Interface Expander with 2 UPS Communication Cables SmartSlot Card |



Attachment 1 (Continued): Products covered by this declaration.

| APC SKU Number | Product Description |
|----------------|--|
| AP9607X293 | AP9607 with new PCB |
| AP9608 | Out-of-Band Management SmartSlot Card |
| AP9610 | Relay I/O SmartSlot Card |
| AP9617 | UPS Network Management Card |
| AP9617MP | NETWORK MANAGEMENT CARD - MASTERPACK |
| AP9618 | UPS Network Management Card w/ Environmental Monitoring & Out of Band M |
| AP9619 | UPS Network Management Card w/ Environmental Monitoring |
| AP9619-IBM | NMC with Env Mon - IBM |
| AP9802 | Hardwired EPO Cable |
| AP9804 | 15' UPS Smart Signaling Link Cable |
| AP9815 | 15'/5m Extension Cable for use w/ UPS communications cable |
| AP9823 | UPS Simple Signaling Communications Cable for Unix |
| AP9824LJ | UPS Communication Linux Cable Kit |
| AP9827 | Simple Signaling UPS Cable - USB to RJ45 |
| AP9832 | APC USB to Serial Smart Signaling Cable |
| AP9850 | APC KVM Cable for PC Servers (PS/2, VGA) - 10 ft/3.0 m |
| AP9870 | Pwr Cord, 10A, 100-230V, C13 to C14 |
| AP9875 | Pwr Cord, 16A, 230V, C19 to Schuko |
| AP9877 | Pwr Cord, 16A, 100-230V, C19 to C20 |
| AP9880 | Pwr Cord, 10A, 230V, C14 to Schuko rec |
| AP9881 | Pwr Cord, 10A, 230V, C14 to UK rec |
| AP9890 | Pwr Cord Kit, 10A, 100-230V, 2', (5) C13 to C14 |
| AP9892 | PWR CORD, 16A, 100-230V, 2', C19 TO C20 |
| AR2105BLKX459 | AR2105BLKCTO with AP9572 and AR8116BLK installed |
| AR2105BLKX497 | EMC 25U Rack w/Customized Vertical Rails |
| AR2310BLKX457 | AR2310BLKCTO with AP7540 and AR8442 installed |
| AR2310BLKX458 | AR2310BLKCTO with AP9572 and AR8442 installed |
| BIOM34-JP | APC Biometric Mouse Password Manager Japan |
| BIOPD-JP | APC Biometric Password Manager Japan |
| CP40U48SC3 | POWERSHIELD 40W 48VDC SC3 |
| CP50B48SC3 | POWERSHIELD 50W 48VDC SC3 |
| CP50B48UK3 | POWERSHIELD 50W 48VDC UK3 |
| CPW006 | CABLE, 7P 3.5MM PLUG TO 2.5MM DC PLUG |
| CPW017 | CABLE 7P 3.5MM PLUG TO 2.1MM R/A DC PLUG |
| SBP16KP | APC Service Bypass Panel- 200/208/240V; 100A; MBB; Hardwire input/output |
| SBP16KRMI4U | APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; (3) 30A Hard |
| SU027RM | APC Backplate Kit W/ (6) 5-15R, (1) L5-30R FOR SU2200RMXLNET, SU3000RMN |
| SU027RM2U | APC Backplate kit w/(2)5-15R, (2) 5-20R and (1) L5-30R for SUA2200RM2U |



Attachment 1 (Continued): Products covered by this declaration.

| APC SKU Number | Product Description |
|----------------|---|
| SU027RM3U | APC Backplate Kit W/(6) 5-15R, (1) L5-30R For SU2200RM3U, SU3000RM3U, S |
| SU028RM3U | APC Backplate Kit w/(4) 5-15R, (4) L5-15R For SU2200RM3U, SU3000RM3U, S |
| SU029RM2U | APC Backplate Kit W/(2) 5-15R, (2) 5-20R, (1) L5-20R FOR SUA2200RM2U an |
| SU029RM3U | APC Backplate Kit w/(4) 5-15R, (2) 5ALT-20R, (1) L5-20R For SU2200RM3U, |
| SU031 | APC Smart-UPS Hardwire Kit 2200/3000VA |
| SU037 | APC Smart-UPS XL Battery Pack Adapter |
| SU039 | APC Smart-UPS Battery Pack 4ft Extension Cable for SU48XLBP, SU48RMXLBP |
| SU039-1 | APC Smart-UPS Battery Pack Extension Cable for SU48BP |
| SU039-2 | APC Smart-UPS XL Battery Pack Extension Cable for 24V BP, not RM models |
| SU042X163 | Rack ATS, 20A, 100/120V, (2)L5-20 in, (1)L5-20 out |
| SU043 | Rack ATS, 12A/208V, 10A/230V, (2)C14 in, (2)C13 out |
| SU044-1 | Rack ATS, 16A/208V, 16A/230V, (2)C20 in, (2)C13 & (1)C19 out |
| SU045X163 | Rack ATS, 30A, 200/208V, (2)L6-30 in, (1)L6-30 out |
| SURT001 | APC Smart-UPS RT 3000VA 230V Isolation Transformer |
| SURT002 | APC Smart-UPS RT 5000VA 230V Isolation Transformer |
| SURT004 | APC Smart-UPS RT Tower Isolation/Step-Down Transformer |
| SURT007 | APC Smart-UPS RT 3000/5000VA Output Hardwire Kit |
| SURTRK | APC Smart-UPS RT 19" Rail Kit |
| SURTRK2 | APC Smart-UPS RT 19" Rail Kit for Smart-UPS RT 3/5/7.5/10kVA |
| SYAFSU1 | APC Symmetra LX 5U replacement door |
| SYAFSU10L | APC Symmetra LX 19U left side panel |
| SYAFSU11L | APC Symmetra LX 24U left side panel |
| SYAFSU11R | APC Symmetra LX 24U right side panel |
| SYAFSU12L | APC Symmetra LX 32U left side panel |
| SYAFSU12R | APC Symmetra LX 32U right side panel |
| SYAFSU13I | APC Symmetra LX frame electronics module- 230V |
| SYAFSU14I | APC Symmetra LX Input/Output wiring tray-230V |
| SYAFSU15 | APC Symmetra LX Communications Card |
| SYAFSU16 | APC Symmetra LX XR Communication Card |
| SYAFSU2 | APC Symmetra LX 13U replacement door |
| SYAFSU3 | APC Symmetra LX 19U replacement door |
| SYAFSU5 | APC Symmetra LX 32U replacement door |
| SYAFSU6 | APC Symmetra LX Castor kit- left front, right rear |
| SYAFSU7 | APC Symmetra LX Castor kit- right front, left rear |
| SYAFSU8 | APC Symmetra LX top panel |
| SYAFSU9L | APC Symmetra LX 13U left side panel |



Attachment 1 (Continued): Products covered by this declaration.

| APC SKU Number | Product Description |
|-----------------------|--|
| SYAFSU9R | APC Symmetra LX 13U right side panel |
| SYAOPT1 | APC Symmetra LX 4-post rack-mounting rails |
| SYAOPT2 | APC Symmetra LX module CTO kit- UPS Frame |
| SYAOPT2XR3 | APC Symmetra LX module CTO kit- XR3 Frame |
| SYAOPT2XR9 | APC Symmetra LX module CTO kit- XR 9 Frame |
| SYAOPT3I | APC Symmetra LX 4ft Cable Adapter Kit for 230V LX to Original Symmetra |
| SYAOPT4 | APC Symmetra LX basic battery cabinet cable |
| SYAOPT5I | APC Symmetra LX 15-foot battery cabinet cable- 230V |
| SYAOPT6J | APC Symmetra LX Earthquake kit for 200V frames |
| SYAPD1 | APC Symmetra LX power distribution panel; (1) L14-30, (2) L5-20 |
| SYARMXR3B3I | APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 230V |
| SYAXR9B9I | APC SYMMETRA LX EXTENDED RUN TOWER W/9 SYBT5, 230V |
| SYCBTMON | Symmetra PX Battery Monitoring Card |
| SYCDCI | SYMMETRA PX DISPLAY AND COMPUTER INTERFACE |
| SYCSYSID | Symmetra PX System ID Card |
| SYCXRCOM | Symmetra PX XR Communication Card |